

**Pressure- Temp Chart**

Temp °F	MP-33 psig
-40	-9.2
-35	-6.3
-30	-3.1
-25	0.2
-20	2.1
-15	4.2
-10	6.5
-5	9
0	11.7
5	14.7
10	17.9
15	21.4
20	25.2
25	29.3
30	33.6
35	38.3
40	43.4
45	48.8
50	54.5
55	60.7
60	67.3
65	74.3
70	81.7
75	89.6
80	97.9
85	106.8
90	116.2
95	126
100	136.5
105	147.5
110	159.1
115	171.3
120	184.1
125	197.6
130	211.7
135	226.5
140	242
145	258.2
150	275.1

**Trade Name(s)** Dupont MP33 (developmental blend)  
**Formula** R-22/152a-124 (40/17/43)  
**Chemical Name**  
**Lube** AB  
**Replaces** R12, R500

**MP-33**

*This information is believed to be accurate and reliable but is provided for guidance only. A-Gas accepts no responsibility and the user assumes all risks and liability for use of this information.*